



Dermalogica Expert Assessment Needs List

If performing the Expert Assessment in a Treatment Room with access to Professional Product:

For this assessment, you will need:

- A model, who will receive a ProSkin 60 or Pro Power Peel 60
- Dermalogica Consultation card, completed and signed by model
- 1 Skin Fitness Plan or Face Mapping® PRO Web app.

practical bed set-up suggestions:

- Treatment bed with appropriate linens
- Headset or magnification lamp
- Professional Modalities/ Technology
(highly encouraged if normally used. If not normally used please be prepared to speak through possible options for the client.)

Sundries suggestions

- esthetic wipes, facial sponges with water bowls, and/ or steam towels for product removal
- cotton rounds and cotton buds
- Box of tissues
- Latex-free gloves
- Rough gauze (2"x2") and/ or (4"x4")
- Hook-neck water bottle or similar to dispense water
- Jelly cups or small product mixing bowls
- masque brushes
- spatulas

Practical trolley product set-up for assessment

Double Cleanse module products

- PreCleanse

At least 1 of the following:

- Special Cleansing Gel
- Intensive Moisture Cleanser
- UltraCalming™ Cleanser
- Skin Resurfacing Cleanser



Resurfacing module products

At least 1 of the following:

- Daily Microfoliant®
- Daily Superfoliant
- MultiVitamin Thermafoliant®
- Exfoliant Accelerator 35
- MultiVitamin Power Exfoliant

If performing Pro Power Peel:

- One Step Prep
- PowerClear Peel **and/or** AdvancedRenewal Peel
- Neutralizing Solution

Extraction module products

- Multi-Active Scaling Gel or Scaling Fluid
- Post Extraction Solution

Touch Therapy module products

- at least 1 additive or botanical mixer

At least 1 of the following:

- Massage Cream or Oil Free Massage or Massage Gel Cream (where applicable for chosen Touch Therapy)

Deep Treatment module products

At least 1 of the following:

- Retinol 1% IonActive™ Serum
- Oligopeptide IonActive™ Serum
- Hyaluronic Acid IonActive™ Serum
- Niacinamide IonActive™ Serum
- Barrier Defense Booster
- UltraCalming™ Serum Concentrate

At least 1 of the following:

- Colloidal Masque Base
- Conductive Masque Base
- Clinical Oatmeal Masque
- MultiVitamin Power Recovery Masque
- Cooling Contour Masque

Dermal Layering module products

At least 1 Toner, Moisturizer and Daylight Defense option:

- Multi-Active Toner
- Antioxidant HydraMist
- UltraCalming Mist or Redness Relief Essence
- MultiVitamin Power Firm
- Stress Positive Eye Lift
- Active Moist
- Skin Smoothing Cream
- Intensive Moisture Balance
- Barrier Repair



- Calm Water Gel
- Super Rich Repair
- Dynamic Skin Recovery SPF50 or Prisma Protect SPF50 or Skin Defense Booster
- SkinPerfect Primer SPF30 or Invisible Physical Defense SPF 30
- Retail Targeted Treatments (optional)
- Retail Moisturizers and/ or Daylight Defense products (optional)

Retail testers are encouraged to perform the Skin Bar® portion of the assessment after the completion of the ProSkin 60 or Pro Power Peel 60 treatment, when educating on homecare using Skin Fitness Plan or Face Mapping® PRO web app.

If performing the Expert Assessment at home with Retail Products/ limited products:

For this assessment, you will need:

- A model, with whom you reside and have been in isolation with to receive a ProSkin 60.
- Dermalogica Consultation card completed and signed by model
- 1 Skin Fitness Plan or Face Mapping® PRO Web app.

Practical bed set-up

- A bed set up to mimic a treatment bed to perform the treatment on
 - Headset or magnification lamp (optional)
 - Professional Modalities/ Technology (optional).
- please be prepared to speak through possible options for the client.

Suggested sundries

- esthetic wipes, facial sponges with water bowls, and/ or steam towels for product removal
- cotton rounds and cotton buds
- Box of tissues
- Jelly cups or product mixing bowls
- Rough gauze 2"x2" (required for Pro Power Peel)

Optional Sundries:

- Latex-free gloves
- Rough gauze (2"x2") and/ or (4"x4")
- Hook-neck water bottle or similar to dispense water
- masque brushes
- spatulas



practical trolley product set-up for assessment

these are the minimum requirements to perform the Expert Assessment

Double Cleanse module products

- PreCleanse

At least 1 of the following:

- Special Cleansing Gel
- Intensive Moisture Cleanser
- Active Clay Cleanser
- UltraCalming™ Cleanser
- Skin Resurfacing Cleanser
- Clearing Skin Wash

Resurfacing module products

Any 1 Dermalogica Retail or Professional exfoliant:

- Daily Microfoliant®
- Daily Superfoliant
- MultiVitamin Thermafoliant®
- Exfoliant Accelerator 35
- MultiVitamin Power Exfoliant

If performing Pro Power Peel:

- One Step Prep
- PowerClear Peel **and/or** AdvancedRenewal Peel
- Neutralizing Solution

Extraction module products

No product required- Skin Therapist must be comfortable explaining the use of the following:

- MultiActive Scaling Gel
- Post Extraction Solution

Touch Therapy module products

- Massage Cream or Oil Free Massage or Massage Gel Cream or alternative face or body oil/cream

Deep Treatment module products

- Dermalogica Retail or Professional Serum (optional)

At least 1 of the following:

- Colloidal Masque Base
- Conductive Masque Base
- Clinical Oatmeal Masque
- MultiVitamin Power Recovery Masque



- Skin Hydrating Masque
- Charcoal Rescue Masque
- Sebum Clearing Masque

Dermal Layering module products

At least 1 Toner, Moisturizer and Daylight Defense option:

- Multi-Active Toner
- Antioxidant HydraMist
- UltraCalming Mist or Redness Relief Essence
- MultiVitamin Power Firm
- Stress Positive Eye Lift
- Active Moist
- Skin Smoothing Cream
- Intensive Moisture Balance
- Barrier Repair
- Calm Water Gel
- Super Rich Repair
- Dynamic Skin Recovery SPF50 or Prisma Protect SPF50 or Skin Defense Booster or Invisible Physical Defense SPF 30
- SkinPerfect Primer SPF30 (optional)
- Retail Targeted Treatments (optional)

Retailing of homecare options to be completed after the completion of the ProSkin 60 or Pro Power Peel 60 treatment, including the use of your options completed on the Skin Fitness Plan or Face Mapping® PRO web app.